Risk Assessment for an stall at an indoor or outdoor event Version 24.07.24

accident or problem

Medium

Stallholder

Event Name: Malton Harvet Festival Event Date: Oct 5th & 6th 2024

Working alone

Stall Setup Gazebo, tables and chairs

people around who can help if necessary

Complete By: Sarah Anderson Date: 24/07/24

safety procedures

Stallholder

Low

Hazard Risk Level Outcome Person at risk Measures Actions Final Risk Level Person Responsible Site/ event related Liase with organiser to determine possible on-site hazards and presence of hazards TBC Accident or injury Stallholder first aid/medical support. Share info with all staff. TBC Event organiser Transport, setup, and dismantiling of equipment Medium Injury due to accident Stallholder Stallholder Low No smoking, no flammable or flames in gazebo. Anticipated the organisers will provide fire fighting equipment and marshalls in the event of a fire on Stallholder to familiarise themselves with Fire Low Burns, smoke, inhilation Stallholder, public organisers fire safety procedures. Low Stallholder Gazebo and displays Ensure gazebo is tied and weighted. In extreme weather displays to be Severe Weather become ustable Stallholder, public packed away and gazebo dismantled if very severe Low Stallholder Low Have appropriate hot or cold drinks available or accessible. Wear, bring Working in severe Heat, cold reaction and suitable clothing. If required seek medical advise and where necessary Low slipping Stallholder cancel and dismantle and return home. Low Stallholder Freestanding displays Low Blown or knocked over Stallholder, public Secure all with weights, cable ties etc Stallholder Low All peghs, ropes etc to be away from public thoroughfares and clearly Slips, trips and falls Low Injury due to accident Stallholder, public Low Stallholder Be prepared for clean up should a breakage Breakable items Cuts from broken glass Stallholder, public Place breakables as far from edge of tables as possible. happen Stallholder Low Low No mains or generator power to be used on site. Display lighting to be Electrical Low Shock Stallholder, public battery operated Stallholder No assistance in case of At least 2 persons present at all times except for short periods. Be aware of Familiarise yourselves with organisers health and